Correction to Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A method for retrieving a property of a media file being played via a media player, wherein the media file is retrieved from one of a plurality of media file sources, which are prioritized, comprising:

querying each of the prioritized plurality of media file sources according to their priority to identify a source of the media file;

identifying a source of the media file; and

displaying the property as defined by metadata of the identified source of the media file.

Claim 2 (currently amended): The method of claim 1[[,]] <u>further comprising retrieving the property</u> <u>defined by the metadata of the identified source of the media file when the identified source defines</u> <u>the property, and wherein retrieving includes</u> retrieving the property defined by the source having the highest priority below the identified source of the media file when the identified source does not define the property.

Claim 3 (currently amended): The method of claim 1 further including ,wherein querying includes[[:]] querying each of the prioritized plurality of media file sources according to their priority to identify a property for the media file defined by the metadata of the source of the media file[[;]], and wherein retrieving includes retrieving the property as defined by the metadata of a first source in the priority prioritized plurality of media file sources identified as including metadata defining the property.

Claim 4 (original): The method of claim 3, wherein each media file source corresponds to a metadata source, and wherein querying includes querying each of the metadata sources to identify the property for the media file.

Claim 5 (original): The method of claim 4, wherein the priority for querying each of the metadata sources is determined according to a predetermined importance assigned to each of the plurality of metadata sources, wherein the metadata source deemed most important is queried first, and wherein the metadata source deemed least important is queried last.

Claim 6 (original): The method of claim 5, wherein querying includes issuing a chain of calls to each metadata source, wherein a first call is to the metadata source deemed most important, and wherein a subsequent call is to the metadata source deemed the next most important, and wherein a last call is to the metadata source deemed the least important.

Claim 7 (original): The method of claim 6, wherein the property to be displayed determines the metadata source from which to retrieve the property.

Claim 8 (original): The method of claim 1, wherein retrieving includes retrieving metadata from the metadata source that returns the property in the least amount of time.

Claim 9 (currently amended): The method of claim 1, wherein the plurality of metadata sources include:

an advanced stream redirector (ASX) source;

a[[n]] server-side playlist (WSX) source;

a media library source;

a file header source;

a DRM source, and

a basic metadata source.

Claim 10 (currently amended): A computer readable <u>storage</u> medium having computer executable instructions for retrieving a property of a media file being played via a media player, wherein the media file is retrieved from one of a plurality of media file sources, which are prioritized, comprising:

querying instruction for querying each of the prioritized plurality of media file sources according to their priority to identify a source of the media file; and

identifying instructions for identifying a source of the media file; and

retrieving instructions for retrieving the property as defined by metadata of the identified source of the media file.

Claim 11 (currently amended): The computer readable <u>storage</u> medium of claim 10, <u>wherein</u> retrieving includes retrieving the property defined by the identified source of the media file when the identified source defines the property, and wherein retrieving instructions include retrieving the property defined by the source having the highest priority below the identified source of the media file when the identified source does not define the property.

Claim 12 (currently amended): The computer readable <u>storage</u> medium of claim 10, <u>further</u> including <u>wherein the</u> querying instructions <u>include instructions</u> for querying each of the <u>prioritized</u> <u>plurality of</u> media file sources according to their priority to identify a property for the media file defined by the metadata of the source of the media file, and wherein retrieving instructions retrieve the property as defined by the metadata of a first source in the <u>priority</u> <u>prioritized plurality of media</u> <u>file sources</u> identified as including metadata defining the property.

Claim 13 (currently amended): The computer readable <u>storage</u> medium of claim 12, wherein each media file source corresponds to a metadata source, and wherein querying includes querying each of the metadata sources to identify the property for the media file.

Claim 14 (currently amended): The computer readable <u>storage</u> medium of claim 13, wherein the priority for querying each of the metadata sources is determined according to a predetermined importance assigned to each of the plurality of metadata sources, wherein the metadata source deemed most important is queried first, and wherein the metadata source deemed least important is queried last.

Claim 15 (currently amended): The computer readable <u>storage</u> medium of claim 14, wherein querying instructions issue a chain of calls to each metadata source, wherein a first call is to the metadata source deemed most important, and wherein a subsequent call is to the metadata source deemed the next most important, and wherein a last call is to the metadata source deemed the least important.

MS#303011.1 (5057) PATENT

Claim 16 (currently amended): The computer readable <u>storage</u> medium of claim 10, wherein retrieving instructions determine the metadata source from which to retrieve the property as a function of the property to be displayed.

Claim 17 (currently amended): The computer[[-]] readable <u>storage</u> medium of claim 10, wherein retrieving instructions retrieve metadata from the metadata source that returns the property in the least amount of time.

Claim 18 (currently amended): The method computer readable storage medium of claim 10, wherein the plurality of metadata sources include:

an advanced stream redirector (ASX) source;

a[[n]] server-side playlist (WSX) source;

a media library source;

a file header source;

a DRM source, and

a basic metadata source.

Claims 19-22 (canceled).